

# HERRINGBONE **SPECIFICATION SHEET**

Artiste Collection Engineered T&G Herringbone plank by Forté. 20mm thick, 120mm wide, in 600mm lengths. Direct stick installation method onto substrate. Pre-finished with Italian UV Cured Lacquer.

# PRODUCT DETAILS

Collection Artiste Rustic

**Product Type Engineered Herringbone Plank** 

**Availability Custom Order Product** 

20mm **Total Thickness** Width 120mm Length 600mm

Wear Layer 6mm Solid Smoked European Oak\*

Core Birch Plywood

Construction 14mm Engineered Core + 6mm

Solid Smoked Oak wear layer\*

Re-sands Approximately 4-5 (approx. 1mm

removed per re-sand)

**Surface Texture** Deep wood grain texture

**Surface Sheen** Extra Matte

Micro-bevel 4 sides Bevel

Status Pre-finished

(no additional coats required)

**Finish** Italian UV Cured Lacquer Smoked European Oak\* **Species** 

(refer page 2 for details)

**Wood Grade** Rustic (refer page 2 for details)

Filler colour Dark Crafted in Europe

The Artiste Rustic Collection is also available in: 250mm planks, Herringbone and Chevron patterns.

\*Da Vinci, Van Gogh and Vermeer are Smoked European Oak. Picasso is European Oak (but has not been smoked)

### STRUCTURAL WARRANTY

10 Year Commercial For terms and conditions see 25 Year Residential www.forte.co.nz/warranties







Da Vinci



Van Gogh



Vermeer

#### SUSTAINABILITY

#### Sustainably Sourced

#### INSTALLATION

Installation Method Directly Stick / Glue Down (Double Stick for Multi-level)

Suitable Substrates Plywood, Particle Board, Concrete,

existing timber - enquire for others

Joint Profile Tongue and Groove (4 sides) **Suitable Applications** Flooring, Walls, Ceilings

Suitable Uses

Residential homes, hospitality, retail stores, restaurants, apartments

· Hydronic Systems **Underfloor Heating** 

> · Electric Systems set in screed (ensure screed suitable for UFH) -

enquire for others

Contact the Forté team for information Wet Area Suitability

0508 35 66 77

## TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors) Critical Flux 2.2kw/m2 (generic) Reaction to Fire (Walls Group 3 / Class Dfl-s1

and Ceilings)

Wear Layer Density

AS/NZS 2098.11

Formaldehyde Emission

E0 (0.12mg/L) & CARB-2 Compliant

No added Formaldehyde

Slip Ratings

AS/NZS 4586 Dry Test AS/NZS 4586 Wet Test

Classification G, Mean COF 0.55 Classification X, Pendulum Mean

35 BPN

700kg/m<sup>3</sup>

#### PACK INFORMATION

0.432m<sup>2</sup> Pack Size

6 pieces (full length) Pieces per pack

Pack Weight 6.48kg


W 125mm x L 130mm x H 810mm **Pack Dimensions** 

# **Herringbone Profile**

### ARTISTE RUSTIC HERRINGBONE



Plank is tongue and groove on all four sides. Product supplied in right and left planks.



### ARTISTE RUSTIC - RUSTIC GRADE



An Artiste Rustic, rustic grade plank will typically contain natural colour variation. This grade allows for more frequent, larger knots and sapwood may be expected throughout the planks. Larger cracks and checks will be present and are finished with a dark shade of filler.

#### SMOKED EUROPEAN OAK



Smoked or fumed timber has been treated to alter the colour depth and tonal variation of the wood. To find out more, visit <a href="mailto:forte.co.nz/advice/what-is-smoked-timber">forte.co.nz/advice/what-is-smoked-timber</a>

# **Care and Maintenance**

#### RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

# **Structural Warranty**

### ARTISTE RUSTIC 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Artiste Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

### ARTISTE RUSTIC 10 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Artiste Collection comes with a full 10 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

# **Installation**

## THE ARTISTE RUSTIC COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Artiste Rustic timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation