

Muuro

INTERIOR PANELLING SPECIFICATION SHEET

Muuro Collection Interior Panelling by Forté. 10mm thick, 125mm wide and 2.70m length. Glue and staple through locking profile onto substrate. Pre-finished with Bona® Matte Lacquer.

PRODUCT DETAILS


Collection	Muuro
Product Type	Engineered Plank
Availability	Stocked
Total Thickness	10mm
Width	125mm
Length	2700mm
Top Layer	0.6mm Solid European Oak or Walnut Veneer
Core	Moisture Resistant HDF
Construction	2-layer Engineered
Surface Texture	All (except Umber Walnut): Brushed Umber Walnut: Smooth
Surface Sheen	Extra Matte (Gloss Level 4-8%)
Bevel	Micro-bevel on long-edges
Status	Pre-finished (no additional coats required)
Finish	Bona® Matte Lacquer (8 Coats)
Species	European Oak PEFC® (Buff, Fresco, Sienna, Noir) American Walnut PEFC® (Umber)
Wood Grade	Clear (refer to page 2 for details)
Filler Colour	Natural
Crafted in	Spain

WARRANTY


5 Year Commercial	For terms and conditions see
15 Year Residential	www.forte.co.nz/warranties

SUSTAINABILITY


PEFC® Certified
Greenguard Certified
We re-plant what we use Visit forte.co.nz/environmental




Buff Oak




Fresco Oak



Sienna Oak



Umber Walnut



Noir Oak

INSTALLATION

Installation Method	Glue and pin through tongue
Suitable Substrates	Plaster Board, Plywood, MDF Board - enquire for others
Joint Profile	Locking Unifit X®
Suitable Applications	Interior Walls, Ceilings
Suitable Uses	Residential homes, hospitality, retail stores, restaurants, apartments
Wet Area Suitability	Contact the Forté team for information 0508 35 66 77

TECHNICAL SPECIFICATIONS


Reaction to Fire (Walls and Ceilings)	Group 3 / Class Dfl-s1 (Group 1 can be achieved with intumescent coating)
Top Layer Density	650-700kg/m ³
Thermal Conductivity	0.13W/mK
CE Certification	Yes
Emission Testing	
Formaldehyde Emission (AS/NZS 4266.1)	Super E0 (0.27 mg/L)
VOC Emission ISO 16000	A+
Carb 2 and PCP Free	Compliant

PACK INFORMATION


Pack Size	2.025m ²
Pieces per pack	6 full planks
Pack Weight	17.13kg
Pack Dimensions	W 144mm x L 2722mm x H 61mm

Profile

MUURO – PROFILE



MUURO – LAYERS



MUURO – CLEAR GRADE

The Muuro Collection is a clear grade plank which is virtually knot and feature-free with natural colour variation.

Colour Variation	Contains natural wood colour variation
Sapwood	No Sapwood
Sound Knots	Limited to pin knots
Filled Knots / Hollow knots	No Filled Knots / Hollow knots
Cracks / Checks	No Cracks / Checks
Birds eye and mineral streak	No Birds eye and mineral streak
Cats paw	No Cats paw
Slope of grain and medullary rays	No Slope of grain and medullary rays

Care and Maintenance

RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Please visit www.forte.co.nz/advice/timber-wall-and-ceiling-panelling-care-and-maintenance-guide

Warranty

MUURO 15 YEAR RESIDENTIAL WARRANTY

The Muuro Collection comes with a full 15 year Residential Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

MUURO 5 YEAR COMMERCIAL WARRANTY

The Muuro Collection comes with a full 5 year Commercial Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

Installation

THE MUURO COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Muuro Interior Panelling. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation