

FEATURE PLANK SPECIFICATION SHEET

Moda Mezzo Collection Engineered T&G plank by Forté. 15mm thick, 190mm wide, 2190mm length. Glue Down installation method onto substrate. Feature grade, pre-finished with NatureMatte Lacquer.

PRODUCT DETAILS

CollectionModa MezzoProduct TypeEngineered Plank

Availability Stocked
Total Thickness 15mm
Width 190mm
Length 2190mm
% of Shorts Up to 17%

Wear Layer 4mm Solid European Oak

Core Hevea Core

Backing Layer Spruce Veneer

Construction 3-layer Engineered

Re-sands Up to 2 (approx. 1mm removed per

re-sand)

Surface Texture Brushed

Surface Sheen Extra Matte (4-6%)

Bevel Micro bevel 4 sides

Status Pre-finished

(no additional coats required)

Finish NatureMatte Lacquer (7 coats)

Species European Oak

Wood Grade Feature (refer page 2 for details)

Filler Colour Dark

The Moda Collection is available in 138mm wide, 190mm wide, 220mm wide, herringbone pattern and stair nosing (selected colours & grades)

STRUCTURAL WARRANTY

5 Year Commercial For terms and conditions see
25 Year Residential www.forte.co.nz/warranties

SUSTAINABILITY

PEFC® Certified









Mondello Capri Feature









Como

INSTALLATION

Installation Method Glue down

(Double Stick for Multi-level)

Suitable Substrates Plywood, Particle Board, Concrete,

existing timber - enquire for others Tongue and Groove (4 sides)

Joint Profile Tongue and

Suitable Applications Flooring,
Suitable Uses Resident

Flooring, Walls, Ceilings Residential homes, hospitality, retail

stores, restaurants, apartments

Underfloor Heating • Hydronic Systems

• Electric Systems set in screed (ensure screed suitable for UFH) -

enquire for others

Wet Area Suitability Contact the Forté team for information

0508 35 66 77

TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors) Critical Flux 5.0kw/m²

Reaction to Fire (Walls Group 3 / Class Dfl-s1 (Group 1 can and Ceilings) be achieved with intumescent coating)

700kg/m³

and Ceilings)
Wear Layer Density

Formaldehyde Emission
AS/NZS 2098.11 E0 (0.1mg/L)

Low VOC, No added Formaldehyde

Slip Ratings


AS/NZS 4586 Wet Test Classification F, Mean COF 0.60
AS/NZS 4586 Dry Test Classification X, Pendulum Mean 43

BPN

PACK INFORMATION

Pack Size 2.496m² Pack Weight 23.60kg

Pieces per pack 5 full planks + 1 split plank



MODA MEZZO - FEATURE GRADE



A Moda Mezzo Feature grade plank will typically contain natural colour variation. This grade allows for frequent, larger knots and sapwood should be expected throughout the planks. Cracks and checks will be present and are finished with a dark shade of filler.

Care and Maintenance

RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

Structural Warranty

MODA MEZZO 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Moda Mezzo Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

MODA MEZZO 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Moda Mezzo Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

Installation

THE MODA MEZZO COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Moda Mezzo timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation