# smartfloor

## HERRINGBONE FEATURE SPECIFICATION SHEET

Smartfloor Collection Engineered T&G Herringbone plank by Forté. 15mm thick, 120mm wide, in 600mm lengths. Glue Down installation method onto substrate. Feature grade, pre-finished with PureMatte Lacquer.

#### Images are colour representation only



Marron Oak

#### PRODUCT DETAILS

Collection Smartfloor
Product Type Engineered Plank

Availability Stocked
Total Thickness 15mm
Width 120mm
Length 600mm

Wear Layer 4mm Solid European Oak

Core Plywood

Construction 2-layer Engineered

Re-sands Approximately 2-3 (approx. 1mm

removed per re-sand)

Surface Texture Brushed Surface Sheen Matte

Bevel Bevel 4 sides
Status Pre-finished

(no additional coats required)

Finish PureMatte Lacquer
Species European Oak
Wood Grade Feature

(refer page 2 for details)

Filler Colour Dark

Selected colours of the Smartfloor Collection are available in: Planks, herringbone, chevron and stair nosings to match

### STRUCTURAL WARRANTY

10 Year Commercial For terms and conditions see25 Year Residential www.forte.co.nz/warranties

#### INSTALLATION

Installation Method Glue down

(Double Stick for Multi-level)

Suitable Substrates Plywood, Particle Board, Concrete,

existing timber - enquire for others

Joint Profile Tongue and Groove (4 sides)

Suitable Applications Flooring, Walls, Ceilings

Suitable Uses Residential homes, hospitality, retail

stores, restaurants, apartments

Underfloor Heating · Hydronic Systems

• Electric Systems set in screed

(ensure screed suitable for UFH) -

Wet Area Suitability enquire for others

Contact the Forté team for information

0508 35 66 77

### TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors) Critical Flux 5.7kw/m<sup>2</sup>
Reaction to Fire (Walls Group 2-S / Class Cfl-s1

and Ceilings)

Wear Layer Density 650kg/m<sup>3</sup>

Formaldehyde Emission E1

Slip Ratings

AS/NZS 4586 Wet Test Classification X (Medium) 41 BPN AS/NZS 4586 Dry Test Classification F, Mean COF 0.75

### PACK INFORMATION

Pack Size 0.864m<sup>2</sup>

Pieces per pack 6 x right + 6 x right


Pack Weight 9kg

### **Herringbone Profile**

### **SMARTFLOOR HERRINGBONE**



Plank is tongue and groove on all four sides. Product supplied in right and left planks.



### SMARTFLOOR - FEATURE GRADE



A Smartfloor Feature grade plank will typically contain natural colour variation. This grade allows for frequent, larger knots and sapwood should be expected throughout the planks. Cracks and checks will be present and are finished with a dark shade of filler.

### **Care and Maintenance**

#### RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

### **Structure Warranty**

SMARTFLOOR 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Smartfloor Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

SMARTFLOOR 10 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Smartfloor Collection comes with a full 10 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

### **Installation**

THE SMARTFLOOR COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Smartfloor timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation