

## PLANK FEATURE GRADE SPECIFICATION SHEET

Urban Collection Engineered Locking plank by Forté. 14mm thick, 190mm wide and 1.83m length. Glue down installation method onto substrate. Feature grade, pre-finished with Bona® Matte Lacquer.

### PRODUCT DETAILS

<b>Collection</b>	Urban
<b>Product Type</b>	Engineered Plank
<b>Availability</b>	Stocked
<b>Total Thickness</b>	14mm
<b>Width</b>	190mm
<b>Length</b>	1830mm
<b>% of Shorts</b>	Up to 17%
<b>Wear Layer</b>	3mm Solid European Oak
<b>Core</b>	Hevea
<b>Backing</b>	Birch
<b>Construction</b>	3-layer Engineered
<b>Re-sands</b>	Approximately 1-2 (approx. 1mm removed per re-sand)
<b>Surface Texture</b>	Brushed
<b>Surface Sheen</b>	Matte (Gloss Level 8-12%)
<b>Bevel</b>	Micro-bevel 4 sides
<b>Status</b>	Pre-finished (no additional coats required)
<b>Finish</b>	Bona® Matte Lacquer (7 Coats)
<b>Species</b>	European Oak PEFC® Certified
<b>Wood Grade</b>	Feature (refer to page 2 for details)
<b>Filler Colour</b>	Dark

The Urban Collection is also available in: Selected prime grade planks and Stair Nosing.

### STRUCTURAL WARRANTY

<b>10 Year Commercial</b>	For terms and conditions see
<b>25 Year Residential</b>	<a href="http://www.forte.co.nz/warranties">www.forte.co.nz/warranties</a>

### SUSTAINABILITY

PEFC® Certified

Images are colour representation only



### INSTALLATION

<b>Installation Method</b>	Glue down (preferred) or floating (Double Stick for Multi-level)
<b>Suitable Substrates</b>	Plywood, Particle Board, Concrete, existing timber - enquire for others
<b>Joint Profile</b>	Välinge 5G Click®
<b>Suitable Applications</b>	Flooring, Walls, Ceilings
<b>Suitable Uses</b>	Residential homes, hospitality, retail stores, restaurants, apartments
<b>Underfloor Heating</b>	<ul style="list-style-type: none"> <li>Hydronic Systems</li> <li>Electric Systems set in screed (ensure screed suitable for UFH) - enquire for others</li> </ul>
<b>Wet Area Suitability</b>	Contact the Forté team for information 0508 35 66 77

### TECHNICAL SPECIFICATIONS


<b>Reaction to Fire (Floors)</b>	Critical Flux 5.0kw/m <sup>2</sup>
<b>Reaction to Fire (Walls and Ceilings)</b>	Group 3 / Class Dfl-s1 (Group 1 can be achieved with intumescent coating)
<b>Wear Layer Density</b>	700kg/m <sup>3</sup>
<b>Formaldehyde Emission</b>	
<b>AS/NZS 2098.11</b>	E0 (0.1mg/L) No Added Formaldehyde
<b>Slip Ratings</b>	
<b>AS/NZS 4586 Dry Test</b>	Classification F, Mean COF 0.65
<b>AS/NZS 4586 Wet Test</b>	Classification X, Pendulum Mean 39 BPN

### PACK INFORMATION

<b>Pack Size</b>	2.086m <sup>2</sup>
<b>Pieces per pack</b>	5 full planks, and up to 1 split plank
<b>Pack Weight</b>	18.4kg
<b>Pack Dimensions</b>	W 207mm x L 1845mm x H 90mm

# Plank Profile

## URBAN PLANK



## URBAN – FEATURE GRADE



An Urban feature grade plank will typically contain natural colour variation. This grade allows for frequent, larger knots. Sapwood should be expected throughout the planks. Cracks and checks will be present and are finished with a dark shade of filler.

# Care and Maintenance

## RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

---

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit [www.forte.co.nz/careandmaintenance](http://www.forte.co.nz/careandmaintenance)

# Structural Warranty

## URBAN 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

---

The Urban Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit [www.forte.co.nz/warranties](http://www.forte.co.nz/warranties)

## URBAN 10 YEAR COMMERCIAL STRUCTURAL WARRANTY

---

The Urban Collection comes with a full 10 year Commercial Structural Warranty. For full warranty terms and conditions, please visit [www.forte.co.nz/warranties](http://www.forte.co.nz/warranties)

# Installation

## THE URBAN COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

---

Please ensure that you have read and understood the installation guidelines before proceeding to install Urban timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit [www.forte.co.nz/installation](http://www.forte.co.nz/installation)