





Forté — the leaders in refined timber surfaces.

New Zealand owned and operated, spanning three generations and over 35 years, Forté is a business founded on family, with its people at the core. Built on passion, knowledge and countless years' experience in the industry, we have an ingrained care for our products, our clients, our people and the environment.

Designed in New Zealand with innovation at the forefront, our exceptional collections of timber flooring, panelling and Millboard decking, which constantly evolve with global and national trends, enable us to provide exciting, unique timber solutions that New Zealanders can enjoy for years to come.

As the leading supplier of refined timber surfaces in New Zealand, we aim to help make it easy for our clients and partners to create sustainable, captivating and enduring spaces to live and work.

Contact us

0508 35 66 77

info@forte.co.nz

forte.co.nz

Follow us

Instagram: [@forteflooring](https://www.instagram.com/forteflooring)

Facebook: [@forteflooringnz](https://www.facebook.com/forteflooringnz)





Contents

OUR STORY		CONTACT	
01	ABOUT FORTÉ	122	CONTACT DETAILS
06	OUR STORY		
08	ENVIRONMENTAL		
10	OUR LOCATIONS		

COLLECTIONS		FLOORING		PANELLING		DECKING	
16	FLOORING	22	URBAN	90	MUURO	108	ENHANCED GRAIN
18	INTERIOR PANELLING	28	SMARTFLOOR	94	TACTILE	112	WEATHERED OAK
19	DECKING	34	ULTRA	98	SALVARE	118	ACCESSORIES
		38	VILLA	102	IMONDI		
		42	MODA				
		50	ATELIER				
		54	INDUS				
		60	ARTEFACT				
		64	ARTISTE RUSTIC				
		70	ACCESSORIES				

Our Story

Forté has been around since 1985

Firmly rooted in the beginnings of making intricate, quality Kauri furniture, current owner James Piesse went on to found Heritage Timbers which became one of New Zealand's largest native timber wholesalers. The Heritage Timbers sawmill, which was purpose-built in Pukekohe, saw native New Zealand timbers sought, milled and made into furniture, joinery and more. The majority was sold on to be made into native timber flooring.

Moving to a more specialised offering.

After logging restrictions were imposed in New Zealand, the business made the decision to refocus their vision on specialising in engineered timber flooring; and thus Forté Flooring was born. With years of experience under our belt, we've evolved and matured to become the country's leading refined timber flooring, wall panelling and decking specialists.

We've got here because of one important trait: We Care

Caring is ingrained into everything we do, at every step of the journey from product design to after care. It's there in our commitment to sustainability too. And as our team has grown, that sense of caring has simply grown with us.

Offering only the best timber surfaces to homeowners and professionals.

In 2017 we started specialising in architectural products and working with renowned architects and designers throughout New Zealand. We do this with passion, integrity, knowledge, and products designed specifically for our unique environments.

In the words of our founders, and a sentiment that we will continue to carry with us, 'we're small enough to care, but large enough to deliver'.

That's our Forté.



We're committed to making positive environmental change.

OUR ENVIRONMENTAL COMMITMENT

At Forté, we care deeply about the environment and all it provides. In a world where climate change and deforestation are real threats, we realise the importance of making positive environmental progress. We're committed to reducing our impact on the environment with our products and processes.

Most of our timber collections have an engineered construction, which uses approximately one-third of slow-growing hardwood resources compared to solid timber. By supplying FSC® or PEFC® certified, sustainably sourced engineered timber products, we're helping to minimise the amount of slow-growing hardwood needed to be harvested to make these products.

We use FSC® certified and recyclable boxes to send our samples, print our catalogues on FSC® certified papers and actively reduce our in-house paper and plastic usage.

TOITŪ ENVIROCARE

Toitū Envirocare is a New Zealand Government-owned Crown Research Institute dedicated to ensuring New Zealand companies have the tools, actions and evidence needed to make measurable environmental progress and be recognised for it. In alignment with our CarbonReduce certification, we are committed to continuing to measure our carbon footprint and implement strategies to manage and reduce the impact of our emissions.

FSC®

FSC (Forest Stewardship Council®) is an international organisation established to promote environmentally appropriate, socially beneficial, and economically viable management of the world's forests. An FSC logo on timber or wood products represents that the product comes from environmentally appropriate and socially beneficial forestry.

PEFC®

The Programme for the Endorsement of Forest Certification (PEFC®) is an international, non-profit, non-governmental organisation promoting sustainable forest management through independent third-party certification. It is considered the certification system of choice for small forest owners.



Forté Showrooms



FORTÉ EXPERIENCE CENTRE
Auckland
0508 35 66 77
auckland@forte.co.nz
299 Great North Road, Grey Lynn, Auckland 1021
Appointments Recommended



FORTÉ SHOWROOM
Pukekohe
0508 35 66 77
info@forte.co.nz
3 Keith Place, Pukekohe, Auckland 2120
Appointments Recommended



FORTÉ SHOWROOM
Christchurch
0508 35 66 77
christchurch@forte.co.nz
93 Manchester Street, Christchurch 8011
Appointments Recommended



FORTÉ SHOWROOM
Queenstown
0508 35 66 77
queenstown@forte.co.nz
179 Glenda Drive, Frankton, Queenstown 9371
Appointments Recommended

Partner Showrooms



THE CUSTOM SPACE
Nelson
03 548 4066
info@thecustomspace.co.nz
150 Vanguard Street, Nelson
By Appointment Only



DESIGN + SUPPLY CO
Christchurch
03 977 4630
studio@designsupplyco.nz
7/75 Peterborough Street, Christchurch 8013
By Appointment Only



WANAKA WOOD FLOORS
Wanaka
027 232 9270
wanakawoodfloors@gmail.com
21/12 Frederick Street, Wanaka 9381
By Appointment Only



Embodying and offering more than traditional showrooms, our Experience Centres have been designed to give our clients an inspiring space where they can immerse themselves in the beauty of timber and all it has to offer. Careful thought and consideration have been put into every aspect of the design and how we can best serve both specifiers and homeowners to give them an experience they won't forget.

The spaces in our Experience Centres have been innovatively and thoughtfully curated, down to the finest detail, including bespoke discussion tables where architects, designers and builders can use the tools available to sit down with their clients and work through the finer details of their projects, and a Concierge Service offering several options of refreshments and nibbles to ensure a memorable client experience.

Throughout our Experience Centres we showcase several of our most popular products. Our Flagship Auckland centre for example, features Moda Altro Verona installed throughout all the main areas, Muuro Buff Oak panelling on the Board Room ceilings and Moda Altro Capri Herringbone laid in the meeting rooms with the walls and ceilings adorned with Muuro Noir Oak. Millboard Limed Oak decking has also been laid at the top of the staircase leading to the building from the parking area, creating a calm and contemporary feel.

Our Experience Centres encompass and embody the essence of the Forté brand, in who we are and what we do. They create an environment where clients and industry partners can connect, network, hear directly from the experts, and discover something new, and where homeowners can feel both informed and inspired when planning their build or next home renovation.



Flooring Collections

/urban

\$\$\$



/smartfloor

\$\$\$



/ultra

\$\$\$



/villa

\$\$\$



/moda

\$\$\$



/atelier

\$\$\$



/indus

\$\$\$



/artefact

\$\$\$



/artiste RUSTIC

\$\$\$



Interior Panelling Collections

/muuro

\$\$\$



/tactile

\$\$\$



/salvare

\$\$\$



/imondi

\$\$\$



Decking Collections

millboard® Live Life Outside.

\$\$\$



millboard® Live Life Outside.

\$\$\$





Flooring Collections

Forté engineered wood floors provide a foundation for beautiful and long-lasting interiors in New Zealand. Our flooring has an engineered construction providing ultimate stability, and ensuring it can be enjoyed for generations. Explore our extensive range of engineered wood flooring to find the perfect solution for your project.



/urban

Urban provides the ideal balance between quality, style and cost-effectiveness. An enduring range of nine colours reflecting European trends, Urban combines a 14mm total thickness with a 3mm wear layer and a hard-wearing extra-matte finish requiring minimal maintenance.

Available in feature grade or prime grade (selected colours), Urban is suitable to be used as flooring, wall panelling and ceilings. Urban is available in a 190mm wide plank, with matching nosings.

\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	PEFC® Certified
Grade	Prime or Feature
Thickness	14mm
Wear Layer	3mm
Bevel	Micro-Bevel 4-Sides
Joint Profile	Välinge 5G Click®
Construction	3-Layer Engineered
Core	Hevea
Backing	Birch
Surface Texture	Brushed
Finish	Pre-finished Bona® Matte Lacquer
Surface Sheen	Matte (8-12%)
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





COPENHAGEN

Copenhagen has a wear layer of European Oak in a gorgeous blond tone with a undeniable Scandinavian look to it.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	UR-CPP	Stocked	14/3mm	190mm	1830mm
	Feature	UR-CFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URC	Stocked	14/3mm	125x35mm	1300mm



BERLIN

Berlin has a wear layer of European Oak in a neutral grey-hued colour.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-BEFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URBE	Stocked	14/3mm	125x35mm	1300mm



MILAN

Milan has a wear layer of European Oak in a soft caramel colour that is very neutral with warm undertones.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-MFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URM	Stocked	14/3mm	125x35mm	1300mm



NEW YORK

New York Prime has a wear layer of European Oak in a natural Oak colour which is a true classic.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	UR-NYPP	Stocked	14/3mm	190mm	1830mm
	Feature	UR-NYFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URNY	Stocked	14/3mm	125x35mm	1300mm

PRAGUE

Prague has a wear layer of European Oak in a rich mid-brown colour with a darker colour in the grain pattern.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-PFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URP	Stocked	14/3mm	125x35mm	1300mm





BARCELONA

Barcelona has a wear layer of European Oak in a neutral beige colour with a lighter colour in the grain pattern.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-BAFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URBA	Stocked	14/3mm	125x35mm	1300mm



OSLO

Oslo has a wear layer of European Oak in a rich brown colour with plenty of warmth.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-OFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URO	Stocked	14/3mm	125x35mm	1300mm



TOKYO

Tokyo has a wear layer of European Oak in a dark brown colour which looks both glamorous and sophisticated.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-TFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URT	Stocked	14/3mm	125x35mm	1300mm



SEOUL

Seoul has a wear layer of European Oak in a deep black colour which is both modern and sophisticated.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UR-SFP	Stocked	14/3mm	190mm	1830mm
Nosing	Feature	SN-URS	Stocked	14/3mm	125x35mm	1300mm

LUMINO THE DENTISTS
Auckland

Professionals
Material Creative

Photography
Samuel Hartnett

Product
Urban Copenhagen





/smartfloor

Smartfloor is a quality timber flooring collection designed for style, reliability and durability.

Smartfloor is supplied pre-finished in Forté’s exclusive PureMatte lacquer, giving a natural no-shine look while providing fantastic scratch-resistance and durability requiring minimal maintenance.

Smartfloor is a reliable and cost-effective collection available in a 190mm and a 220mm plank and selected Herringbone and Chevron patterns, with matching nosings.

\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Light Feature and Feature
Thickness	15mm
Wear Layer	4mm
Bevel	Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Core	Plywood
Backing	Plywood
Surface Texture	Brushed
Finish	Pre-finished PureMatte Lacquer
Surface Sheen	Matte
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





BLOND OAK

A light, blond European Oak with knots and character, Blond Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 190	Feature	SBOF190	Stocked	15/4mm	190mm	2200mm
	Light Feature	SBO190	Stocked	15/4mm	190mm	2200mm
Herringbone	Light Feature	SBOHB120	Stocked	15/4mm	120mm	600mm
Nosing	Light Feature	SN-SBO	Stocked	15/4mm	70x35mm	2200mm



CLAY OAK

A neutral, blonded European Oak in a wider plank, Clay Oak pairs fewer knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Feature	SCOF220	Stocked	15/4mm	220mm	2200mm
	Light Feature	SCO220	Stocked	15/4mm	220mm	2200mm
Herringbone	Light Feature	SCOHB120	Stocked	15/4mm	120mm	600mm
Chevron	Light Feature	SCOC120	Custom Order	15/4mm	120mm	600mm
Nosing	Light Feature	SN-SCO	Stocked	15/4mm	70x35mm	2200mm



NATURAL OAK

A natural, golden European Oak with knots and character, Natural Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 190	Feature	SNOF190	Stocked	15/4mm	190mm	2200mm
	Light Feature	SNO190	Stocked	15/4mm	190mm	2200mm
Herringbone	Light Feature	SNOHB120	Stocked	15/4mm	120mm	600mm
Nosing	Light Feature	SN-SNO	Stocked	15/4mm	70x35mm	2200mm



SANDSTONE OAK

A grey-washed, earthy European Oak with knots and character, Sandstone Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 190	Feature	SBOF190	Stocked	15/4mm	190mm	2200mm
Nosing	Feature	SN-SBO	Stocked	15/4mm	70x35mm	2200mm

MARRON OAK

An antique brown European Oak with knots and character, Marron Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 190	Feature	SMO190	Stocked	15/4mm	190mm	2200mm
Herringbone	Feature	SMOHB120	Stocked	15/4mm	120mm	600mm
Nosing	Feature	SN-SMO	Stocked	15/4mm	70x35mm	2200mm







/ultra

Ultra is a quality timber flooring collection designed with stability, durability and longevity in mind. Ultra is available in seven trending colours and is pre-finished in Forté's exclusive PureMatte lacquer, which provides a hard-wearing matte finish that requires minimal maintenance.

The collection has a 21mm engineered construction, including a 6mm wear layer that can be sanded back 4-5 times over its lifetime. Due to its thickness, Ultra is best suited to flooring.

Ultra is available in a 190mm wide plank with matching nosings.

\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Prime or Feature
Thickness	21mm
Wear Layer	6mm
Bevel	Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Core	Plywood
Backing	Plywood
Surface Texture	Brushed
Finish	Pre-finished PureMatte Lacquer
Surface Sheen	Matte
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





MARBLED OAK

A blonded, shell white European Oak with fewer knots and character, Marbled Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	UL-MPP	Stocked	21/6mm	190mm	1900mm
Nosing	Prime	SN-ULM	Stocked	21/6mm	70x35mm	2200mm



BORDEAUX OAK

A natural, golden-hued European Oak with knots and character, Bordeaux Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UL-BFP	Stocked	21/6mm	190mm	1900mm
Nosing	Feature	SN-ULN	Stocked	21/6mm	70x35mm	2200mm



CHAMPAGNE OAK

A natural, golden-hued European Oak with fewer knots and character, Champagne Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	UL-CPP	Stocked	21/6mm	190mm	1900mm
Nosing	Prime	SN-ULN	Stocked	21/6mm	70x35mm	2200mm



TUSSOCK OAK

A warm, brown European Oak with knots and character, Tussock Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UL-TFP	Stocked	21/6mm	190mm	1900mm
Nosing	Feature	SN-ULT	Stocked	21/6mm	70x35mm	2200mm

DRIFTWOOD OAK

A weathered grey European Oak with brown tones, knots and character, Driftwood Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UL-DFP	Stocked	21/6mm	190mm	1900mm
Nosing	Feature	SN-ULD	Stocked	21/6mm	70x35mm	2200mm



MINK GREY OAK

A smokey, grey-toned European Oak with wide colour variation achieved through a specialised reactive stain, Mink Grey Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UL-MGFP	Stocked	21/6mm	190mm	1900mm
Nosing	Feature	SN-ULMG	Stocked	21/6mm	70x35mm	2200mm



MARRON OAK

An antique brown European Oak with knots and character, Marron Oak pairs a lightly brushed texture with a low-sheen finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	UL-MFP	Stocked	21/6mm	190mm	1900mm
Nosing	Feature	SN-ULMA	Stocked	21/6mm	70x35mm	2200mm





/villa

Villa is a premium engineered wood flooring collection featuring a unique rough sawn textured surface. The collection consists of five modern colours that bring an elegant yet rustic ambience to modern and classic high-end spaces.

Available in rustic grade, Villa planks contain plenty of knots and cracks that add to the authentic industrial look of the collection. Villa is finished with a UV Cured matte lacquer, ensuring durability and protection whilst maintaining the charming look and feel of the surface underfoot.

Villa's 240mm wide planks are sure to be a focal point within your interior, and with a generous length of 2400mm, its subtle texture and depth will not be missed.

Villa is available in a 240mm wide plank with Herringbone patterns and matching nosings.

\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Rustic
Thickness	18mm
Wear Layer	4mm
Bevel	Distressed Micro-Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	3-Layer Engineered
Core	Meranti Plywood
Backing	Meranti Veneer
Surface Texture	Rough Sawn and Brushed
Finish	Pre-finished UV-Cured Matte Lacquer
Surface Sheen	Matte (8%)
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





CASHMERE

Cashmere's blonded rough-sawn surface is complemented by a calming light washed effect amongst the grain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	VI-CRSP	Stocked	18/4mm	240mm	2400mm
Herringbone	Rustic	VI-CRSH	Indent	18/4mm	120mm	600mm
Nosing	Rustic	SN-VIC	Stocked	18/4mm	75x36mm	1400mm



LIMESTONE

Sophisticated grey rough-sawn planks complete with ripples of beige, Limestone's unique colour adds another dimension to interior spaces.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	VI-LRSP	Stocked	18/4mm	240mm	2400mm
Herringbone	Rustic	VI-LRSH	Indent	18/4mm	120mm	600mm
Nosing	Rustic	SN-VIL	Stocked	18/4mm	75x36mm	1400mm



DUNE

With its natural, golden tone and unique rough-sawn texture, Dune evokes a charming warmth within interiors.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	VI-DRSP	Stocked	18/4mm	240mm	2400mm
Herringbone	Rustic	VI-DRSH	Indent	18/4mm	120mm	600mm
Nosing	Rustic	SN-VID	Stocked	18/4mm	75x36mm	1400mm



RAVEN

Villa Raven's deep black rough-sawn planks add a dramatic flair to interior spaces.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	VI-RRSP	Stocked	18/4mm	240mm	2400mm
Herringbone	Rustic	VI-RRSH	Indent	18/4mm	120mm	600mm
Nosing	Rustic	SN-VIR	Stocked	18/4mm	75x36mm	1400mm



MEAD RESIDENCE

Raglan

Professionals

Richard Priest Architect
Annika Rowson

Photography

Jono Parker

Product

Villa Raven (Walls)
Moda Como (Floor)



/moda

Moda is a curated collection of pre-finished engineered timber flooring with a unique NatureMatte finish that looks and feels 'untouched' and 'raw'. Crafted from sustainable certified European Oak, Moda is eco-friendly both in the way it is produced and sourced.

'Moda', meaning fashion in Italian, is inspired by unforgettable Italian destinations evoking the feeling of a relaxing escape and offering a little of la dolce vita right here in Aotearoa. We have taken colour cues from the warm sunsets over the Amalfi Coast to the dark olive groves of Dolcedo.

The Moda collection colours are available in two different widths: Moda Altro comes in a beautiful 220mm wide plank, which can add an upscale and modern feel to a home and elevate an interior aesthetic, and selected Herringbone patterns with matching nosings; and Moda Stretto comes in a narrow 138mm wide plank — perfect for those seeking sleek planks for smaller spaces or a traditional, classic linear look for interiors.

\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	PEFC® Certified
Grade	Feature and Light Feature
Thickness	15mm
Wear Layer	4mm
Bevel	Micro-Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	3-Layer Engineered
Core	Hevea
Backing	Spruce Veneer
Surface Texture	Brushed
Finish	Pre-finished NatureMatte Lacquer
Surface Sheen	Extra Matte (4-6%)
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





AMALFI

Amalfi’s breathtakingly unique blond-coloured timber comes in feature grade, with an on-trend whitewashed effect in the grain pattern.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-AFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-AFP	Stocked	15/4mm	138mm	2190mm
Nosing	Feature	SN-MOAA	Stocked	15/4mm	125mm	1300mm



CAPRI

Capri’s unique pastel blond timber comes in feature and light feature grades, exuding a refined, modern brightness that will linger long in the memory.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-CAFP	Stocked	15/4mm	220mm	2190mm
	Light Feature	MOA-CALFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Light Feature	MOS-CALFP	Stocked	15/4mm	138mm	2190mm
Herringbone	Light Feature	MOA-CALFH	Stocked	15/4mm	138mm	690mm
Nosing	Light Feature	SN-MOACA	Stocked	15/4mm	125mm	1300mm



COMO

Como’s soft greys and pastel browns reflect the vari-coloured cobblestone streets of the lakeside town of Como, located in the foothills of the Italian Alps.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-CFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-CFP	Stocked	15/4mm	138mm	2190mm
Nosing	Feature	SN-MOAC	Stocked	15/4mm	125mm	1300mm



MONDELLO

The gentle texture of this feature grade timber shines with tones of vanilla and white, evoking the feeling of walking on the stunning white-sand beaches of Mondello.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-MFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-MFP	Stocked	15/4mm	138mm	2190mm
Herringbone	Feature	MOA-MFH	Stocked	15/4mm	138mm	690mm
Nosing	Feature	SN-MOAM	Stocked	15/4mm	125mm	1300mm



SORRENTO

Golden and timeless like a radiant sunset over the Mediterranean, Sorrento is a warming, natural-toned timber that brings nature’s soft touch to any project.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-SFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Light Feature	MOS-SLFP	Stocked	15/4mm	138mm	2190mm
Herringbone	Light Feature	MOA-SLFH	Stocked	15/4mm	138mm	690mm
Nosing	Light Feature	SN-MOAS	Stocked	15/4mm	125mm	1300mm





VERONA

Striations run through this muted, sandy brown feature grade timber like the river running thorough the picturesque city of Verona, adding a touch of the natural world to any interior.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-VFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-VFP	Stocked	15/4mm	138mm	2190mm
Herringbone	Feature	MOA-VFH	Stocked	15/4mm	138mm	690mm
Nosing	Feature	SN-MOAV	Stocked	15/4mm	125mm	1300mm



TUSCANY

Just like the country roads winding through an iconic Italian landscape, the warmth of Tuscany's beige-grey tone provides a picturesque background to your dream look.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-TFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-TFP	Stocked	15/4mm	138mm	2190mm
Nosing	Feature	SN-MOAT	Stocked	15/4mm	125mm	1300mm



ISOLA

Earthy yet exotic, the warm mid-brown of Isola pays homage to the magnificent Italianate gardens on historic Isola Bella island.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-IFP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-IFP	Stocked	15/4mm	138mm	2190mm
Nosing	Feature	SN-MOAI	Stocked	15/4mm	125mm	1300mm



DOLCEDO

Inspired by the Ligurian village's picturesque houses and olive groves, Dolcedo is a dark, rich brown timber that really makes a statement.

Product	Grade	Code	Stock	Thickness	Width	Length
Altro Plank	Feature	MOA-DFP	Stocked	15/4mm	220mm	2190mm
	Heavy Rustic	MOA-DRP	Stocked	15/4mm	220mm	2190mm
Stretto Plank	Feature	MOS-DFP	Stocked	15/4mm	138mm	2190mm
Herringbone	Feature	MOA-DFH	Stocked	15/4mm	138mm	690mm
Nosing	Feature	SN-MOAD	Stocked	15/4mm	125mm	1300mm





QUEENSTOWN COUNTRY CLUB
Queenstown

Professionals
Warren and Mahoney

Photography
Simon Larkin

Product
Moda Altro Capri





/atelier

Atelier is a premium collection of engineered wood flooring with rustic grade and gentle brushing giving the planks a timeless and aged look. The collection consists of five modern colours that bring an elegant yet rustic character to modern and classic high-end spaces.

Atelier is available in both a 220mm wide plank with a thickness of 15mm, and a 260mm wide plank with a thickness of 21mm, with herringbone and stair nosings to match. This collection is sure to be a focal point within your interior, bringing character-filled texture and depth to any space.

\$\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Rustic
Thickness	15mm/21mm
Wear Layer	4mm/6mm Solid European Oak
Bevel	Bevel Long Edges
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Core	Birch Plywood
Surface Texture	Brushed
Finish	Ageing Stain with UV Cured Lacquer
Surface Sheen	Matte
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





DOLOMITE

An aged, light natural-toned European Oak in an extra-wide plank, Atelier Dolomite pairs knots and character with a brushed texture and ageing stain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Rustic	AT-DRP15	Stocked	15/4mm	220mm	2200mm
Plank 260	Rustic	AT-DRP21	Stocked	21/6mm	260mm	2200mm
Herringbone	Rustic	AT-DRH15	Stocked	15/4mm	120mm	600mm
Nosing 220	Rustic	SN-ATD15	Stocked	15/4mm	70x35mm	2200mm
Nosing 260	Rustic	SN-ATD21	Stocked	21/6mm	70x35mm	2200mm



SILTSTONE

An aged, mid-brown European Oak in a wider plank, Atelier Siltstone pairs knots and character with a brushed texture and ageing stain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Rustic	AT-SRP15	Stocked	15/4mm	220mm	2200mm
Plank 260	Rustic	AT-SRP21	Stocked	21/6mm	260mm	2200mm
Herringbone	Rustic	AT-SRH15	Stocked	15/4mm	120mm	600mm
Nosing 220	Rustic	SN-ATS15	Stocked	15/4mm	70x35mm	2200mm
Nosing 260	Rustic	SN-ATS21	Stocked	21/6mm	70x35mm	2200mm



CLASSIC

An aged, deep-brown European Oak in an extra-wide plank, Atelier Classic pairs knots and character with a brushed texture and ageing stain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Rustic	AT-CRP15	Stocked	15/4mm	220mm	2200mm
Plank 260	Rustic	AT-CRP15	Stocked	21/6mm	260mm	2200mm
Herringbone	Rustic	AT-CRH15	Stocked	15/4mm	120mm	600mm
Nosing 220	Rustic	SN-ATC15	Stocked	15/4mm	70x35mm	2200mm
Nosing 260	Rustic	SN-ATC21	Stocked	21/6mm	70x35mm	2200mm



MARL

An aged, tonal grey European Oak in an extra-wide plank, Atelier Marl pairs knots and character with a brushed texture and ageing stain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Rustic	AT-MRP15	Stocked	15/4mm	220mm	2200mm
Plank 260	Rustic	AT-MRP21	Stocked	21/6mm	260mm	2200mm
Herringbone	Rustic	AT-MRH15	Stocked	15/4mm	120mm	600mm
Nosing 220	Rustic	SN-ATM15	Stocked	15/4mm	70x35mm	2200mm
Nosing 260	Rustic	SN-ATM21	Stocked	21/6mm	70x35mm	2200mm

GRANITE

An aged, deep-brown European Oak in an extra-wide plank, Atelier Granite pairs knots and character with a brushed texture and ageing stain.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank 220	Rustic	AT-GRP15	Stocked	15/4mm	220mm	2200mm
Plank 260	Rustic	AT-GRP21	Stocked	21/6mm	260mm	2200mm
Herringbone	Rustic	AT-GRH15	Stocked	15/4mm	120mm	600mm
Nosing 220	Rustic	SN-ATG15	Stocked	15/4mm	70x35mm	2200mm
Nosing 260	Rustic	SN-ATG21	Stocked	21/6mm	70x35mm	2200mm





/indus

Inspired by the earthy colours and captivating contours of desertscapes, Indus is our new premium timber flooring collection that embodies some of the world's most striking backdrops. The Indus Collection lets you create a whole new world within your interior. Crafted from premium European oak with a plywood core and backing veneer, the Indus Collection has been developed to offer a look that is as distinctively refined.

Small bevels and a lightly brushed surface help to create a seamless, all-encompassing effect with less definition between planks, evocative of desert sands.

\$\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Feature, Prime and Light Feature
Thickness	18mm
Wear Layer	4mm
Bevel	Micro-Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	Multi-Layered Engineered
Core	Meranti Plywood
Backing	Meranti Veneer
Surface Texture	Lightly Brushed
Finish	Pre-finished UV-Cured Matte Lacquer
Surface Sheen	Matte
Installation Method	Glue Down
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





MOJAVE

A pale, honey-toned European oak in a wider plank, Mojave pairs fewer knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-MFP	Stocked	18/4mm	240mm	2400mm
	Prime	IN-MPP	Stocked	18/4mm	240mm	2400mm
Nosing	Light Feature	SN-INM	Stocked	18mm	75x36mm	1400mm



KHARAN

An icy-toned light blond European oak with a grey wash in a wider plank, Kharan pairs knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-KFP	Stocked	18/4mm	240mm	2400mm
Nosing	Light Feature	SN-INK	Stocked	18mm	75x36mm	1400mm



ATACAMA

A creamy, bleached blond European oak in a wider plank, Atacama pairs fewer knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-AFP	Stocked	18/4mm	240mm	2400mm
	Prime	IN-APP	Stocked	18/4mm	240mm	2400mm
Herringbone	Light Feature	IN-AFH	Stocked	18/4mm	120mm	600mm
Nosing	Light Feature	SN-INA	Stocked	18mm	75x36mm	1400mm



SAHARA

A light ochre coloured European oak with a grey wash in a wider plank, Sahara pairs knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-SFP	Stocked	18/4mm	240mm	2400mm
Herringbone	Light Feature	IN-SFH	Stocked	18/4mm	120mm	600mm
Nosing	Light Feature	SN-INS	Stocked	18mm	75x36mm	1400mm

COLORADO

A taupe, grey-washed European Oak in a wider plank, Colorado pairs knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-CFP	Stocked	18/4mm	240mm	2400mm
Nosing	Light Feature	SN-INC	Stocked	18mm	75x36mm	1400mm



PATAGONIA

A cool, greige European oak with light grey wash in a wider plank, Patagonia pairs knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-PFP	Stocked	18/4mm	240mm	2400mm
Herringbone	Light Feature	IN-PFH	Stocked	18/4mm	120mm	600mm
Nosing	Light Feature	SN-INP	Stocked	18mm	75x36mm	1400mm



TANAMI

A rich umber European oak with pale flecks in a wider plank, Tanami pairs knots and character with a lightly brushed texture.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IN-TFP	Stocked	18/4mm	240mm	2400mm
Nosing	Light Feature	SN-INT	Stocked	18mm	75x36mm	1400mm







LIMITED

/artefact

Inspired by objects that have been treasured, preserved and enjoyed for generations, Artefact is our new premium timber flooring collection that sets the standard high for unique timber.

Artefact's high-end reactive stain is carefully applied to each plank, permeating the surface to create a dramatic and sophisticated plethora of natural colours. Each Artefact plank is vastly different from the other and creates an irreplicable look once laid.

Sourced and crafted in Poland, the Artefact collection's colour and grain variation are not to be missed. Artefact is available in 220mm wide planks and Herringbone and Chevron patterns with matching nosings.

\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	FSC® Certified
Grade	Rustic
Thickness	15mm
Wear Layer	4mm
Bevel	Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Core	Birch Plywood
Backing	Birch Plywood
Surface Texture	Brushed Reactive Stain
Finish	Pre-finished Bona® Matte Lacquer
Surface Sheen	Matte
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





AMMONITE

A muted, grey-washed European Oak with increased colour variation, Ammonite pairs an enhanced grain with a lightly brushed texture in a wider plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	ART-AMMRP	Stocked	15/4mm	220mm	1800-2480mm
Herringbone	Rustic	ART-AMMRH	Indent	15/4mm	135mm	600mm
Nosing	Rustic	SN-ARTAMM	Stocked	15/4mm	100x40mm	1300mm



AMULET

A grey-washed European Oak with brown undertones and increased colour variation, Amulet pairs an enhanced grain with a lightly brushed texture in a wider plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	ART-AMURP	Stocked	15/4mm	220mm	1800-2480mm
Herringbone	Rustic	ART-AMURH	Indent	15/4mm	135mm	600mm
Nosing	Rustic	SN-ARTAMU	Stocked	15/4mm	100x40mm	1300mm



FLINT

A charcoal-toned European Oak with dark undertones and increased colour variation, Flint pairs an enhanced grain with a lightly brushed texture in a wider plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	ART-FLRP	Stocked	15/4mm	220mm	1800-2480mm
Herringbone	Rustic	ART-FLRH	Indent	15/4mm	135mm	600mm
Nosing	Rustic	SN-ARTFL	Stocked	15/4mm	100x40mm	1300mm



OBSIDIAN

A mid-brown European Oak with grey grain and increased colour variation, Obsidian pairs an enhanced grain with a lightly brushed texture in a wider plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	ART-ORP	Stocked	15/4mm	220mm	1800-2480mm
Herringbone	Rustic	ART-ORH	Indent	15/4mm	135mm	600mm
Nosing	Rustic	SN-ARTO	Stocked	15/4mm	100x40mm	1300mm

HEPBURN'S ROAD HOUSE
Ashburton

Professionals
Warren and Mahoney
Davinia Sutton

Photography
Stephen Goodenough

Product
Bespoke





/artiste RUSTIC

A premium collection of pre-finished engineered timber flooring designed to have a rustic and time-worn feel, Artiste Rustic will transform your spaces into works of art with a curated palette of four warm, contemporary colours inspired by history's legendary artists: Da Vinci, Picasso, Vermeer and Van Gogh.

Artiste Rustic's surface is beautiful and character-filled, with an undulated surface and deep wood-grain texture meticulously crafted using specialised artisan techniques such as wire brushing, hand-scraping, and natural drying of knots in a boutique factory in Hungary.

Artiste Rustic will flawlessly integrate into any classic or traditional interior with a look reminiscent of hand-cut timber from days gone by. Artiste Rustic is available in 250mm wide planks and Herringbone and Chevron patterns with matching nosings.

\$\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Rustic
Thickness	20mm
Wear Layer	5.5mm / 6mm
Bevel	Micro-Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Core	Birch Plywood
Backing	Birch Plywood
Surface Texture	Deep Wood Grain
Finish	Pre-finished Italian UV-Cured Lacquer
Surface Sheen	Extra Matte
Installation Method	Glue Down (Double Stick for Multi-Level)
Usage Classes	Residential / Commercial
Applications	Interior Flooring / Walls / Ceilings / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





PICASSO

A bleached, natural European Oak with sandy tones and increased colour variation, Picasso pairs an enhanced grain with a deeply brushed texture in a wide plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	AR-PRP	Stocked	20/5.5mm	250mm	2205-2480mm
Herringbone	Feature	AR-PRH	Indent	20/6mm	120mm	600mm
Chevron	Feature	AR-PRC	Indent	20/6mm	100mm	700mm
Nosing	Feature	SN-ARP	Stocked	20mm	100x40mm	1300mm



DA VINCI

A smoked, natural European Oak with increased colour variation, Da Vinci pairs an enhanced grain with a deeply brushed texture in a wide plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	AR-DVRP	Stocked	20/5.5mm	250mm	2205-2480mm
Herringbone	Feature	AR-DVRH	Indent	20/6mm	120mm	600mm
Chevron	Feature	AR-DVRC	Indent	20/6mm	100mm	700mm
Nosing	Feature	SN-ARDV	Stocked	20mm	100x40mm	1300mm



VAN GOGH

A lustrous, smoked grey European Oak with increased colour variation, Van Gogh pairs an enhanced grain with a deeply brushed texture in a wide plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	AR-VGRP	Stocked	20/5.5mm	250mm	2205-2480mm
Herringbone	Feature	AR-VGRH	Indent	20/6mm	120mm	600mm
Chevron	Feature	AR-VGRC	Indent	20/6mm	100mm	700mm
Nosing	Feature	SN-ARVG	Stocked	20mm	100x40mm	1300mm



VERMEER

A warm, mid-brown European Oak with lighter striations and increased colour variation, Vermeer pairs an enhanced grain with a deeply brushed texture in a wide plank.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	AR-VRP	Stocked	20/5.5mm	250mm	2205-2480mm
Herringbone	Feature	AR-VRH	Indent	20/6mm	120mm	600mm
Chevron	Feature	AR-VRC	Indent	20/6mm	100mm	700mm
Nosing	Feature	SN-ARV	Stocked	20mm	100x40mm	1300mm





TAIRUA INSITU HOUSE
Tairua, Coromandel

Professionals
Neu Architecture

Photography
Matt Queree

Product
Artiste Rustic Van Gogh





BONA WOOD FLOOR SPRAY MOP

For quick and easy cleaning and maintenance of wood floors finished with polyurethane, lacquer or hard wax-oil. Durable, effective and easy to use. The Wood Floor Spray Mop enables you to clean and maintain your wood floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill.

Code	Stock	Dimensions
BO-SMK-WF	Stocked	1.3m



BONA MICROFIBER APPLICATOR PAD

For applying Bona Wood Refresher and all Bona Polishes on all surfaces.

Code	Stock	Dimensions
BO-MAP	Stocked	N/A



BONA MICROFIBER DUSTING PAD

For removing dust, hair and other unwanted particles from your floor. Ideal for using prior to wet-mopping floors.

Code	Stock	Dimensions
BO-MDP	Stocked	N/A



BONA MICROFIBER CLEANING PAD

For applying any Bona cleaner to most types of floors. Compatible with all Bona Mops, including the Bona Spray Mop.

Code	Stock	Dimensions
BO-MCP	Stocked	N/A

BONA WOOD FLOOR CLEANER

For regular cleaning of polyurethane or hard-waxed wooden floors. This 2.5L bottle of cleaning solution is ideal for refilling your Bona Spray Mop cartridge or Spray Bottle. For best results apply with the Bona Mop or Microfiber Cleaning Pad.

Code	Stock	Dimensions
BO-SMWC-2.5L	Stocked	2.5l



BONA WOOD FLOOR CLEANER CARTRIDGE

For regular cleaning of polyurethane, lacquer or hard-waxed wooden floors. This cartridge is designed for use with the Bona spray mop.

Code	Stock	Dimensions
BO-SMWC-0.85L	Stocked	850ml



DURATECH SOLDERING IRON

Battery-powered soldering iron useful for melting wax into damaged floors. Requires 3 x AA batteries.

Code	Stock	Dimensions
TS1535	Stocked	N/A





MAPEI ECO PRIM GRIP - PRIMER

Ready-to-use bonding promoter and primer made from synthetic acrylic resin and silica inerts with a very low emission level of volatile organic compounds (VOC) for render, smoothing and levelling compounds and adhesives. Eco Prim Grip may be used to improve the bond of all types of cement, gypsum and lime-based plasters on substrates made from concrete, brickwork, vibro-compressed concrete blocks, lightweight blocks and gypsum.

Code	Stock	Dimensions
MAP-EPG	Stocked	5kg



MAPEI ECO PRIM T PLUS - PRIMER

Solvent-free, low odour acrylic primer in water dispersion with very low emission of volatile organic compounds (VOC).

Code	Stock	Dimensions
MAP-EPTP	Stocked	5kg



MAPEI MAPEPROOF 1K TURBO MOISTURE BARRIER

A moisture vapour barrier for cement-based substrates that are not subject to rising damp, but have a residual humidity content higher than the 75% RH up to 95% RH.

Code	Stock	Dimensions
MAP-MPT	Stocked	10kg / 40-50m²



MAPEI ULTRABOND 995 3-IN-1 ADHESIVE

A 3-in-1 moisture-curing, sound-reducing urethane adhesive for all types of wood flooring and bamboo. Can be used as for adhesive and moisture vapour emission control on concrete slabs. Sound-reducing properties make it ideal for multi-unit housing projects.

Code	Stock	Dimensions
MAP-UB995	Stocked	33kg / 16m²

MAPEI ULTRABOND S955 1K ADHESIVE

A one-component, solvent-free, silylated polymer adhesive with very low VOC levels. For bonding timber flooring and all types and formats of pre-finished materials. Suitable for heated substrates.

Code	Stock	Dimensions
MAP-UB955	Stocked	21kg / 26m²



MAPEI ULTRABOND S997 1K

A one-component, solvent-free adhesive, suitable for fixing risers and treads to wooden stairs, bonding wooden skirtings, bead-laying three-layered pre-finished parquet, installing wood mosaics on walls.

Code	Stock	Dimensions
MAP-UB997	Stocked	600ml / 0.8-1m²



MAPEI ULTRAPLAN RENOVATION LEVELLING COMPOUND

A fibre-reinforced self levelling compound, designed for use in the refurbishment of existing floors in both commercial and domestic applications that can be hand or pump applied.

Code	Stock	Dimensions
MAP-UPR	Stocked	20kg



MAPEI NOTCHED TROWEL

For the application of adhesives.

Code	Stock	Dimensions
MAP-NT	Stocked	N/A






PROTECTA BOARD

Surface cover for protection of hard flooring. 30m2 Roll.

Code	Stock	Dimensions
PB30	Stocked	20kg / 30m²



SELLEYS LIQUID DIRECT STICK V-NOTCH TROWEL

Notched flooring trowel for the application of Direct Stick.

Code	Stock	Dimensions
SE-NT	Stocked	N/A



SELLEYS LIQUID NAILS VBS 2-PART WB KIT

A highly cross-linked, pigmented, two-pack epoxy water based vapour barrier system that is rolled onto concrete floors to prevent the transmission of moisture vapour from the concrete to the timber floor.

Code	Stock	Dimensions
SE-LNVBSR	Stocked	5l



SELLEYS TIMBERFLEX 10L PAIL

Selleys Liquid Nails Timberflex Timber Flooring Adhesive is a flexible, trowel grade adhesive suitable for most types of solid, engineered strip and sheet timber flooring to concrete and timber. The Advanced Polymer Technology formulation contains no isocyanate.

Code	Stock	Dimensions
SE-TF10L	Stocked	10l

SELLEYS TIMBERFLEX 600ML SAUSAGE

Selleys Liquid Nails Timberflex Timber Flooring Adhesive is a flexible, trowel grade adhesive suitable for most types of solid, engineered strip and sheet timber flooring to concrete and timber. The Advanced Polymer Technology formulation contains no isocyanate.

Code	Stock	Dimensions
SE-TF600	Stocked	600ml



UNIKA CLICSEAL 125ML TUBE

For sealing the joints of timber and laminate flooring in order to prevent water or moisture from getting under the floor surface. Great for use in wet areas such as bathrooms, laundries and kitchens.

Code	Stock	Dimensions
UCS125	Stocked	125ml



WOODLOK 2500 D3 CROSSLINK ADHESIVE 500ML

Woodlok 2500 D3 Crosslink Adhesive 500ml. Water based PVA that requires heat and moisture resistant bonds. 1L will cover approximately 10m2.

Code	Stock	Dimensions
WL-D3-500ML	Stocked	500ml



WOODLOK 2500 D3 CROSSLINK ADHESIVE 5KG

Woodlok 2500 D3 Crosslink Adhesive 5kg. Water based PVA that requires heat and moisture resistant bonds. 1L will cover approximately 10m2.

Code	Stock	Dimensions
WL-D3-5KG	Stocked	5L





AQUASEAL FLEXFILL COLOR - AFROMOSIA

AquaSeal® FlexFill color is an acrylic based filler for sealing wood floor joints. FlexFill color is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

AquaSeal® Pafudima FlexFill in the colour Afromosia is recommended for application with the following Forté colours; Urban Oslo, Ultra Marron Oak, Artiste Rustic Vermeer, Artiste Refined Vermeer.

Code	Stock	Dimensions
CA-ASA	Stocked	310ml



BONA GAP MASTER BLACK

Bona® Gapmaster is an acrylic based filler for sealing wood floor joints. Gapmaster is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Bona® Gapmaster in the colour Black is recommended for application with the following Forté colours; Urban Seoul.

Code	Stock	Dimensions
CA-BOB	Stocked	310ml



BONA GAP MASTER DARK OAK

Bona® Gapmaster is an acrylic based filler for sealing wood floor joints. Gapmaster is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Bona® Gapmaster in the colour Dark Oak is recommended for application with the following Forté colours; Urban Prague, Ultra Champagne, Artiste Refined Da Vinci, Artiste Refined Raphael, Moda Sorrento.

Code	Stock	Dimensions
CA-BOOD	Stocked	310ml



BONA GAP MASTER LIGHT OAK

Bona® Gapmaster is an acrylic based filler for sealing wood floor joints. Gapmaster is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Bona® Gapmaster in the colour Light Oak is recommended for application with the following Forté colours; Urban New York.

Code	Stock	Dimensions
CA-BOOL	Stocked	310ml

BONA GAP MASTER WENGE

Bona® Gapmaster is an acrylic based filler for sealing wood floor joints. Gapmaster is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Bona® Gapmaster in the colour Wenge is recommended for application with the following Forté colours; Urban Tokyo, Artiste Refined Rembrandt, Moda Dolcedo, Moda Isola.

Code	Stock	Dimensions
CA-BOWE	Stocked	310ml



BONA GAP MASTER WHITE

Bona® Gapmaster is an acrylic based filler for sealing wood floor joints. Gapmaster is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Code	Stock	Dimensions
CA-BOOL	Stocked	310ml



H.B. FULLER CAULK IN COLOURS - MOCCA

H.B Fuller Caulk in Colours™ is an acrylic based filler for sealing wood floor joints. Caulk in Colours is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

H.B Fuller Caulk in Colours™ in the colour Mocca is recommended for application with the following Forté colours; Urban Milan, Ultra Tussock Oak, Artiste Rustic Monet, Artiste Rustic Da Vinci.

Code	Stock	Dimensions
CA-FLM	Stocked	450g



H.B. FULLER CAULK IN COLOURS - VANILLA

H.B Fuller Caulk in Colours™ is an acrylic based filler for sealing wood floor joints. Caulk in Colours is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

H.B Fuller Caulk in Colours™ in the colour Vanilla is recommended for application with the following Forté colours; Urban Athens, Urban Copenhagen, Urban Berlin, Moda Capri, Moda Mondello.

Code	Stock	Dimensions
CA-FLV	Stocked	450g





Selleys NO MORE GAPS INTERIOR COLOURS - COFFEE

Selleys® No More Gaps Interior Colours is an acrylic based filler for sealing wood floor joints. No More Gaps Interior Colours is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Selleys® No More Gaps Interior Colours in the colour Coffee is recommended for application with the following Forté colours; Urban Barcelona, Ultra Driftwood Oak, Ultra Mink Grey, Artiste Rustic Van Gogh, Artiste Rustic Picasso, Artiste Refined Cézanne, Moda Tuscany, Moda Verona.

Code	Stock	Dimensions
CA-SEC	Stocked	450g



Selleys NO MORE GAPS INTERIOR COLOURS - VANILLA

Selleys® No More Gaps Interior Colours is an acrylic based filler for sealing wood floor joints. No More Gaps Interior Colours is elastic, free of solvents and silicone and can be used on finished and unfinished timber floors.

Selleys® No More Gaps Interior Colours in the colour Ivory is recommended for application with the following Forté colours; Ultra Marbled Oak, Artiste Refined Picasso, Moda Amalfi.


Code	Stock	Dimensions
CA-SEI	Stocked	450g

ACOUSTICK-MAT SOUND UNDERLAY

Acoustick-Mat 10m2 Roll


Code	Stock	Dimensions
AKM10	Stocked	10m x 1m Roll / 10m²





SILVER ANODISED

Code	Stock	Dimensions
TFB-SA12	Stocked	3mm x 12mm x 2500mm




BLACK ANODISED

Code	Stock	Dimensions
TFB-BA12	Stocked	3mm x 12mm x 2500mm



CHAMPAGNE ANODISED

Code	Stock	Dimensions
TFB-CA12	Stocked	3mm x 12mm x 2500mm



LIGHT BRONZE ANODISED

Code	Stock	Dimensions
TFB-LBA12	Stocked	3mm x 12mm x 2500mm

DARK BRONZE ANODISED

Code	Stock	Dimensions
TFB-DBA12	Stocked	3mm x 12mm x 2500mm




ORGANIC BRASS

Code	Stock	Dimensions
TFB-OB13	Stocked	3.175mm x 12.7mm x 3600mm
TFB-OB19	Stocked	3.175mm x 19mm x 3600mm



AGED BRASS


Code	Stock	Dimensions
TFB-AB13	Indent	3.2mm x 12.7mm x 3600mm



WAXED STEEL


Code	Stock	Dimensions
TFB-WS13	Indent	3mm x 13mm x 4000mm






SILVER ANODISED

Code	Stock	Dimensions
STI-SA	Indent	3mm x 10mm x 2000mm




BLACK ANODISED

Code	Stock	Dimensions
STI-BA	Indent	3mm x 10mm x 2000mm



CHAMPAGNE ANODISED

Code	Stock	Dimensions
STI-CA	Indent	3mm x 10mm x 2000mm



LIGHT BRONZE ANODISED

Code	Stock	Dimensions
STI-LBA	Indent	3mm x 10mm x 2000mm

DARK BRONZE ANODISED

Code	Stock	Dimensions
STI-DBA	Indent	3mm x 10mm x 2000mm



ORGANIC BRASS


Code	Stock	Dimensions
STI-OB6.35	Indent	3mm x 6.35mm x 3600mm
STI-OB9.5	Indent	3mm x 9.5mm x 3600mm






SILVER ANODISED

Code	Stock	Dimensions
JAT-SA13	Stocked	13mm x 14mm x 2500mm



BLACK ANODISED

Code	Stock	Dimensions
JAT-BA13	Stocked	13mm x 14mm x 2500mm



RAW UNFINISHED

Code	Stock	Dimensions
JAT-UA13	Stocked	13mm x 14mm x 2500mm

ORGANIC BRASS

Code	Stock	Dimensions
AB-OB13	Stocked	12.7mm x 12.7mm x 3600mm
AB-OB19	Indent	19mm x 19mm x 3600mm





ORGANIC BRASS

Code	Stock	Dimensions
SB-OB13	Stocked	12.7mm x 12.7mm x 3600mm
SB-OB19	Stocked	19mm x 19mm x 3600mm





Interior Panelling Collections

Timber is often used to add warmth and texture to interiors, not only on floors but increasingly on walls and ceilings. Discover how wood panelling can add colour, warmth and style to your commercial or residential project. Explore our exclusive range of wood panelling to find the perfect solution for your project.



/muuro

Muuro is an elegant interior panelling collection that is straightforward, inexpensive and easy to install. With minimal wood knots and markings, Muuro’s flawless surface provides a streamlined and sophisticated nature.

Muuro provides an excellent alternative to traditional timber panelling and sarking products. Its authentic timber veneer offers the same look at a much more affordable price, whilst its engineered construction ensures a structurally stable product that will not warp or bow like solid timber products.

Muuro is supplied in pre-finished 2700mm lengths with no shorts, unlike solid timber, meaning a seamless, join-free look can be achieved when laying vertically on walls up to 2700mm high.

\$\$\$\$	
Species	European Oak / American Walnut
Origin	Central Europe / United States
Sustainability	PEFC® Certified
Grade	Clear
Thickness	10mm
Wear Layer	0.6mm
Bevel	Micro-Bevel on Long Edges
Joint Profile	Locking Unifit X®
Construction	2-Layer Engineered
Backing	Moisture Resistant HDF
Surface Texture	Brushed (Oak) / Smooth (Walnut)
Finish	Pre-finished Bona® Matte Lacquer
Surface Sheen	Extra Matte (4-8%)
Installation Method	Direct Stick and Secret Pin
Usage Classes	Residential / Commercial
Applications	Interior Walls / Ceilings
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





BUFF

Contemporary yet classic, Muuro’s Buff Oak takes its cue from the Spanish stucco walls; the refined nature of its clear grade planks elevate your space to another level. Let this illuminating European Oak panelling work it’s light magic into your interior, its soft brown-yellow tones bringing life to any space.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Clear	MU-BCP	Stocked	10/0.6mm	125mm	2700mm
Corner	Clear	CP-MUB	Stocked	10/0.6mm	25x25mm	2700mm



FRESCO

Calm and collected, Muuro’s Fresco Oak stands sophisticated in its subtle, light tones. Dignified and classic, this timber style has an out-of-time quality that sets it apart from other styles. With long lengths and clear grade, Fresco’s refined aesthetic provides a true high-end experience.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Clear	MU-FCP	Stocked	10/0.6mm	125mm	2700mm
Corner	Clear	CP-MUFR	Stocked	10/0.6mm	25x25mm	2700mm



SIENNA

Light, but resonating with warmth and earthiness, Muuro’s Sienna Oak is named after a pigment often used in stucco-textured interiors in Spanish homes. Brown with red undertones, this clear grade timber radiates with minimal character in its tones.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Clear	MU-SCP	Stocked	10/0.6mm	125mm	2700mm
Corner	Clear	CP-MUS	Stocked	10/0.6mm	25x25mm	2700mm



SABEL

With its deep, rich hues and unique, luxurious grain pattern, Muuro’s Sabel embodies all that is special about the Muuro collection. A PEFC® Certified Walnut top layer and long, elegant planks ensure that Sabel will make a statement on the walls and ceilings of any interior. From chocolatey browns to dark espresso tones, Sabel will add warmth and sophistication to any space.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Clear	MU-SACP	Stocked	10/0.6mm	125mm	2700mm
Corner	Clear	CP-MUSA	Stocked	10/0.6mm	25x25mm	2700mm

NOIR

Evoke a cocoon-like space with the dark and sumptuous tones of Muuro’s Noir Oak. Combined with the refined aesthetic of this clear grade wood, Noir Oak captures a dark beauty that is for the daring and bold.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Clear	MU-NCP	Stocked	10/0.6mm	125mm	2700mm
Corner	Clear	CP-MUN	Stocked	10/0.6mm	25x25mm	2700mm





/tactile

The Tactile Collection is a sophisticated wall and ceiling panelling range for those seeking an exclusive, luxury ambience within their space.

Tactile's heavily textured, saw-marked effect combined with a modern stain, results in a look reminiscent of luxury lodges and cabins – an aesthetic hard to replicate. Tactile planks are pre-finished in a stunning matte Natural Oil and require no additional coats, ready to show off immediately after installation.

Tactile is available in a 240mm wide plank.


\$\$\$\$	
Species	European Oak
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Feature
Thickness	15mm
Wear Layer	4mm
Bevel	Bevel 4-Sides
Joint Profile	Tongue and Groove
Construction	Multi-Layer Engineered
Backing	Birch and Poplar Plywood
Surface Texture	Heavy Rough Sawn
Finish	Pre-finished Natural Oil
Surface Sheen	Matte
Installation Method	Direct Stick or Secret Pin
Usage Classes	Residential / Commercial
Applications	Interior Walls / Ceilings
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





LOFT WHITE

A modern, white European Oak in wide planks, Loft White pairs a rough sawn surface with an oil finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	TA-LWRSP-SL	Stocked	15/4mm	240mm	2200mm



EBONY

A luxurious, black European Oak in wide planks, Ebony pairs a rough sawn surface with an oil finish.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	TA-ERSP	Stocked	15/4mm	240mm	2200mm





/salvare

Salvare is a reclaimed collection of wall panelling recycled from old houses, barns and fences in one of Europe's wildest and most untouched areas in Transylvania.

When old wooden houses, barns and fences are torn down, hours are spent salvaging every usable piece of the spruce and oak to give it a second purpose, assuring Salvare offers a highly sustainable option for interiors.

Once recovered from the old structures, the beams and boards are meticulously reworked into wall panels, retaining tremendous amounts of history and character. The planks are gently brushed and treated, ensuring the original surface is not compromised and allowing the timber's captivating narrative to be captured and preserved within each plank.

Salvare is available in 150mm wide planks and mixed width and length 7mm lamella.

\$\$\$	
Species	Reclaimed Spruce
Origin	Central Europe
Sustainability	Sustainably Sourced
Grade	Reclaimed Rustic
Thickness	Solid / 17mm
Wear Layer	Solid / 5mm
Bevel	None
Joint Profile	Butt Joint / Tongue and Groove
Construction	Solid Lamella / Multi-Layer Engineered
Backing	Birch Plywood
Surface Texture	Distressed and Painted / Brushed / Natural Weathered
Finish	Pre-finished Paint / Unfinished
Surface Sheen	Matte
Installation Method	Direct Stick and Secret Pin
Usage Classes	Residential / Commercial
Applications	Interior Walls / Ceilings
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





WHITE DISTRESSED SPRUCE

White Distressed Spruce has a white painted surface which has been distressed for a character look.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	SA-WDSP	Indent	17/5mm	150mm	1000-2200mm



NATURAL SPRUCE

Natural Spruce has a beautiful natural-coloured surface with a brushed texture that accentuates the wood's natural grain pattern.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	SA-NSP	Indent	17/5mm	150mm	1000-2200mm
Lamella	Rustic	SA-NSL	Indent	7mm	100-180mm	500-2200mm



SILVERED SPRUCE

Silvered Spruce has a beautiful natural weathered surface which is supplied unfinished to retain its natural raw look.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	SA-SSP	Indent	17/5mm	150mm	1000-2200mm
Lamella	Rustic	SA-SSL	Indent	7mm	100-180mm	500-2200mm



CHARRED SPRUCE

Charred Spruce has a light sugi ban (charred/blackened) surface with a brushed texture that accentuates the wood's natural grain pattern.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Rustic	SA-CSP	Indent	17/5mm	150mm	1000-2200mm





/imondi

Recycled from old barns in Europe and America, the Imondi range is hand-crafted from genuine reclaimed timber and repurposed into rustic and textured planks.

With a focus on hand-crafted and sustainable slab rescue, the finished products introduce an element of nature, depth and texture to interiors whilst infusing a spirit of history, innovation and creativity - a talking point in any interior.

This product has an engineered construction that minimises the waste of reclaimed timber by using it only on the face of the board, and a base made from cross-directional ply provides ultimate stability.

\$\$\$

Species	Reclaimed European Oak
Origin	Central Europe
Sustainability	FSC® Certified
Grade	Reclaimed Rustic
Thickness	15 / 21mm
Wear Layer	4 / 6mm
Bevel	None
Joint Profile	Tongue and Groove
Construction	2-Layer Engineered
Backing	Plywood
Surface Texture	Rough / Reclaimed
Finish	Pre-finished Natural Oil
Surface Sheen	Matte
Installation Method	Direct Stick or Secret Pin
Usage Classes	Residential / Commercial
Applications	Interior Walls / Flooring / Ceilings
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





BROWNSTONE OAK

A worn, reclaimed European Oak with varying tones of brown, Brownstone Oak pairs increased knots and character with a deeply textured patina.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IM-BSP	Stocked	21/6mm	50-230mm	400-2200mm




WEATHERED OAK

A worn, reclaimed European Oak with dark shades of brown, Weathered Oak pairs increased knots and character with deeply textured patina.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Feature	IM-WSP	Stocked	15/4mm	90-135mm	400-2200mm





Decking Collections

Millboard is a premium UK-made decking product which is changing the face of decking as we know it. Millboard has a high-tech core together with a rubberized surface which is moulded from real timber and finished by hand, resulting in an incredibly realistic look that captures the beauty of real timber.



Enhanced Grain Collection

Millboard is a premium UK-made decking product which is changing the face of decking as we know it. Millboard decking is made from a revolutionary Polyurethane resin, reinforced with mineral fibres, which retains the beautiful look and feel of wood, but without the maintenance needed to keep it that way. Each decking board is moulded from carefully selected oak samples that showcase the beauty of natural wood grain, then hand-tinted by craftsmen for a perfect real-wood look. The result is decking that is virtually indistinguishable from wood in appearance, but far superior in performance. It doesn't rot or warp, and its UV stability resists fading. With no wood content, there's nothing to encourage algal growth either.

To add to its easy-to-live-with qualities, each board has a Lastane® surface layer which is both non-porous – so spills don't leave stains – and highly slip-resistant, even in the wet. There's no need to spend time applying expensive, often environmentally-unfriendly treatments to keep it looking beautiful, either. Just an occasional wipe over with standard household floor cleaners is all that's needed.

The Millboard Enhanced Grain collection features five modern colours in a moulded prime grade timber that can be paired with Forté's extensive timber range to create a seamless indoor/outdoor flow.

\$\$\$\$\$

Species	Oak Look
Origin	United Kingdom
Sustainability	Environmentally Friendly
Grade	Prime (Moulded from Real Timber)
Thickness	32mm
Construction	Composite
Core	Resin Mineral Composition
Surface Texture	Brushed
Finish	Lastane®
Surface Sheen	Matte
Installation Method	Durafix Fixing to Joist
Usage Classes	Residential / Commercial
Applications	Exterior Decking / Cladding / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website






LIMED OAK

Limed Oak lengths give you the look of beautiful sun-bleached timber. This pale, washed look is the perfect complement to outdoor spaces in sunnier climates, or for those wanting to achieve a calm contemporary look.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	ME-L	Stocked	32mm	176mm	3600mm
Bullnose	Prime	MB-L	Stocked	32mm	150mm	3200mm
Square	Prime	MS-L	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-L	Stocked	16mm	146mm	3200mm



GOLDEN OAK

Golden Oak lengths give you the appealing look of newly-sawn natural oak timber, which unlike real timber will retain their fresh appearance over time. This golden hue is an enduring, versatile colour that will complement almost any application.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	ME-G	Stocked	32mm	176mm	3600mm
Bullnose	Prime	MB-G	Stocked	32mm	150mm	3200mm
Square	Prime	MS-G	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-G	Stocked	16mm	146mm	3200mm



SMOKED OAK

Smoked Oak lengths are a nod to time-seasoned hardwoods, yours to enjoy without the wait. This cool, elegant grey colour works beautifully for contemporary and coastal settings.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	ME-S	Stocked	32mm	176mm	3600mm
Bullnose	Prime	MB-S	Stocked	32mm	150mm	3200mm
Square	Prime	MS-S	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-S	Stocked	16mm	146mm	3200mm



BRUSHED BASALT

Brushed Basalt is the most authentic painted-wood-look decking board available. This distinctive option within the Millboard collection is perfect for seamless transitions between indoor and outdoor spaces.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	ME-BB	Indent	32mm	176mm	3600mm
Bullnose	Prime	MB-BB	Indent	32mm	150mm	3200mm
Square	Prime	MS-BB	Indent	33mm	50mm	3200mm
Fascia	Prime	MF-BB	Indent	16mm	146mm	3200mm



ANTIQUE OAK

Antique Oak lengths have the appearance of an attractively aged tropical hardwood deck such as Ipe or Teak. This rich warm colour is both timeless and versatile, sure to complement many applications.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Prime	ME-A	Stocked	32mm	176mm	3600mm
Bullnose	Prime	MB-A	Stocked	32mm	150mm	3200mm
Square	Prime	MS-A	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-A	Stocked	16mm	146mm	3200mm





Weathered Oak Collection

Millboard is a premium UK-made decking product which is changing the face of decking as we know it. Millboard decking is made from a revolutionary Polyurethane resin, reinforced with mineral fibres, which retains the beautiful look and feel of wood, but without the maintenance needed to keep it that way. Each decking board is moulded from carefully selected oak samples that showcase the beauty of natural wood grain, then hand-tinted by craftsmen for a perfect real-wood look. The result is decking that is virtually indistinguishable from wood in appearance, but far superior in performance. It doesn't rot or warp, and its UV stability resists fading. With no wood content, there's nothing to encourage algal growth either.

To add to its easy-to-live-with qualities, each board has a Lastane® surface layer which is both non-porous – so spills don't leave stains – and highly slip-resistant, even in the wet. There's no need to spend time applying expensive, often environmentally-unfriendly treatments to keep it looking beautiful, either. Just an occasional wipe over with standard household floor cleaners is all that's needed.

The Millboard Weathered Oak collection features three rustic and aged looking colours in a moulded reclaimed timber that can be paired with Forté's extensive timber range to create a seamless indoor/outdoor flow.

\$\$\$\$\$	
Species	Oak Look
Origin	United Kingdom
Sustainability	Environmentally Friendly
Grade	Reclaimed (Moulded from Real Timber)
Thickness	32mm
Construction	Composite
Core	Resin Mineral Composition
Surface Texture	Reclaimed Rustic
Finish	Lastane®
Surface Sheen	Matte
Installation Method	Durafix Fixing to Joist
Usage Classes	Residential / Commercial
Applications	Exterior Decking / Cladding / Other
Structural Warranty	25-Year Residential / 5-Year Commercial

Find us on
Masterspec



View Collection
on our website





DRIFTWOOD OAK

Driftwood Oak lengths give you the appearance of old sea-washed timber, without the wait. The subtle hue and characterful texture of this product create an easy, relaxed style, ideal for laidback coastal living.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Reclaimed	MW-D	Stocked	32mm	200mm	3600mm
Bullnose	Prime	MB-S	Stocked	32mm	150mm	3200mm
Square	Prime	MS-S	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-S	Stocked	16mm	146mm	3200mm



VINTAGE OAK

Vintage Oak lengths give you the appearance of old weather-beaten sleepers, without the wait. The darker tones of this rustic style work as well in country retreats and coastal getaways as they do in chic city courtyards.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Reclaimed	MW-V	Stocked	32mm	200mm	3600mm
Bullnose	Prime	MB-V	Stocked	32mm	150mm	3200mm
Square	Prime	MS-V	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-V	Stocked	16mm	146mm	3200mm



EMBERED OAK

Embered Oak lengths are reminiscent of timber preserved using the Japanese Yakisugi technique, which involves burning the surface of the timber in order to weatherproof it. The dramatic hue and characterful texture of this product are the perfect mix of modern-day style and tradition.

Product	Grade	Code	Stock	Thickness	Width	Length
Plank	Reclaimed	MW-E	Indent	32mm	200mm	3600mm
Bullnose	Prime	MB-BC	Stocked	32mm	150mm	3200mm
Square	Prime	MS-BC	Stocked	33mm	50mm	3200mm
Fascia	Prime	MF-BC	Stocked	16mm	146mm	3200mm







LIMED OAK TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-L	Stocked	500ml



GOLDEN OAK TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-G	Stocked	500ml



DRIFTWOOD/SMOKED OAK TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-S	Stocked	500ml



BRUSHED BASALT TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-BB	Indent	500ml

ANTIQUE OAK TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-A	Stocked	500ml



VINTAGE OAK TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-V	Stocked	500ml



BURNT CEDAR/EMBERED TOUCH-UP COATING

Millboard touch-up coating is perfect for colouring cut ends, disguising mitered edges and more.

Code	Stock	Dimensions
MT-BC	Stocked	500ml





DUOLIFT® ACOUSTIC SEPARATION PAD

Agglomerated cork and recycled rubber pads offer a layer of protection between joist supports and membranes, as well as providing an acoustic benefit.

Code	Stock	Dimensions
DL-AP	Stocked	250mm x 250mm x 3mm



DUOLIFT® JOIST FOOT

The DuoLift® Foot provides a very stable footing for more elevated subframes, raising the height by 45mm and spreading the load further across the substrate, due to the 220mm base supporting a maximum combined height of 350mm.

Code	Stock	Dimensions
DL-F	Stocked	220mm base x 45mm height



DUOLIFT® JOIST CRADLE

Providing an exceptional height range of 45mm, from 15-60mm, the DuoLift® Joist Cradle enables precision height adjustment with 5mm markings on the side and each quarter turn of the adjustment ring representing a 1mm rise or fall. The Joist Cradle allows the installer to adjust the height whilst the joist is in place, locking tabs provide a secure finish once correct height has been determined.

Code	Stock	Dimensions
DL-JC	Stocked	Adjustable height 15-60mm



DUOLIFT® RISER

The Riser component of the DuoLift® system increases the height in increments of 45mm. It is capable of sitting directly onto a solid substrate under the Joist Cradle and Self-Levelling Joint or forming part of a higher stack with a foot beneath.

Code	Stock	Dimensions
DL-R	Indent	45mm height

DUOLIFT® SELF-LEVELLING JOINT

Adding 20mm to the height of the supports, the DuoLift® Self-levelling Joint provides easy and effective levelling of a subframe up to 5°, ready for decking installation. Suitable for standing directly onto a solid substrate, or for providing a joint for a higher support.

Code	Stock	Dimensions
DL-SL	Stocked	20mm height



DURAFIX® SCREWS

Millboard's unique, hidden decking fixings make installing Millboard simple. Durafix® screws are designed for use with all Millboard planks, fascia and edging. The screws are designed to be drilled deep into the Millboard surface - allowing Millboard's Lastane® surface material to flex back over the screws, leaving a virtually indistinguishable mark and no fixings visible. 45mm screws are for specific use only.

Code	Stock	Dimensions
MA-D45	Stocked	4.2mm x 45mm (250 pack)
MA-D60	Stocked	4.2mm x 60mm (250 pack)



DUOLIFT JOIST CRADLE

A quick and easy fixing solution for a completely clean finish. Millboard's innovative tool provides a quick and easy solution to fix the boards from the side, resulting in a clean, hidden fixing finish, keeping the face of the board completely clear of screw holes. This quality gives a clean look, even when used with lighter coloured boards.

Code	Stock	Dimensions
MA-DG	Stocked	1 pack



MULTI SPACER

The Millboard spacer is a multi-sided tool with each side set to a different width, designed to ensure accurate spacing between Millboard lengths in the quickest way possible.

Code	Stock	Dimensions
MA-MS	Stocked	3/4/5/6mm spacing (10 pack)



Contact

BUSINESS DEVELOPMENT

NEW BUSINESS ENQUIRIES

Contact our Business Development team to discuss new projects and professional relationships.



GRATTON MCCALLUM
Residential Projects
Northland — Manawatu
gratton@forte.co.nz
021 116 2568



COURTNEY WILSON
Residential Projects
Wellington — Southland
courtney@forte.co.nz
021 808 533



FELIX PIESSE
Commercial Projects
Nationwide
felix@forte.co.nz
021 943 921

PROJECT MANAGEMENT & CUSTOMER SERVICE

DELIVERY AND WARRANTY ENQUIRIES

Contact our supportive Project Management and Customer Service team if you have any questions about your order status, or want to make a warranty or technical enquiry.



NASERI MATAIA
Operations Manager
naseri@forte.co.nz
0508 35 66 77



MEL SMITH
Project Manager
mel@forte.co.nz
0508 35 66 77



NATALIA GOUNDER
Project Manager
natalia@forte.co.nz
0508 35 66 77



ODETTE MCCALLUM
Customer Service
odette@forte.co.nz
0508 35 66 77

LEADERSHIP TEAM

FORTÉ LEADERSHIP



JAMES PIESSE
CEO
james@forte.co.nz
0508 35 66 77



GAIUS PIESSE
General Manager
gaius@forte.co.nz
0508 35 66 77



CARLO PIESSE
Product Manager
carlo@forte.co.nz
0508 35 66 77



JONAS PIESSE
Operations Director
jonas@forte.co.nz
0508 35 66 77

