

Certificate no: CMNZ70143

Version: 2

Original issue date: 20 June 2023

Version date: 21 July 2025

1. Certificate Holder Details

Forté

**Innovate Group Ltd
Forté**

3 Keith Place, Pukekohe Auckland 2120 New Zealand
info@forte.co.nz
Ph: 0508 35 66 77
www.forte.co.nz

2. Product Certification Body

Bureau Veritas Australia Pty Ltd

11/500 Collins Street
Melbourne VIC 3000 Australia
product.certification@bureauveritas.com
Ph: 1800 855 190
www.bureauveritas.com.au

Complaints: The complaints process for this certificate can be found here:
www.bureauveritas.com.au/your-feedback

Sam Guindi – Bureau Veritas Product Certification Manager



**BUREAU
VERITAS**

Product Certificate

Forté Timber Overlay Flooring System

3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. Continuation of description can be found in item 10 – Supporting Information about Description. [Delete if not applicable]. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method

The Forté Timber Overlay Flooring System prefinished timber overlay flooring supplied in planks of lengths, width and thickness depending on the "Collection" type mentioned below and adhered to an appropriate structural floor substrate.

This certificate covers the following collections and dimensions (Thickness (mm) x Width (mm) x Length (mm)):

- Moda Collection (15 x 220 x 2200)
- Urban Collection (14 x 190 x 1830)
- Loft Collection (12 x 193 x 1830)
- Smart floor Collection (15 x 190 x 2200)
- Ultra Collection (21 x 190 x 1900)
- Atelier Collection (15 x 220 x 2200 and 21 x 260 x 2200)
- Indus Collection (18 x 240 x 2400)
- Villa Collection (18 x 240 x 2400)
- Haven Collection (14 to 21 x 190 to 220 x 1900 to 2200)
- Artiste Collection (19 x 250 x 2500)
- Heritage Collection (18 x 190 to 300 x 2500 to 3000)

4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product. Continuation of intended use can be found in item 11 – Supporting Information about Intended use. [Delete if not applicable]

The Forté Timber Overlay Flooring System is designed for use as non-structural overlay flooring inside residential and commercial buildings.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70143

Version: 2

Original issue date: 20 June 2023

Version date: 21 July 2025

Product Certificate

Forté Timber Overlay Flooring System



5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system).

How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and limitations of use.

B2 Durability: Performance Clauses B2.3.1(c)

C3 Fire affecting areas beyond the fire source: Performance Clauses C3.4(b)

D1 Access routes: Performance Clauses D1.3.3(d)

E3 Internal moisture: Performance Clauses E3.3.3, E3.3.5, E3.3.6

F2 Hazardous building materials: Performance Clauses F2.3.1

6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed.

Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. The Forté Timber Overlay Flooring System is certified for use in:
 - a) all buildings,
 - b) in all areas, including level access routes likely to become wet, except:
 - i. garages and commercial kitchens, and
 - ii. unsprinklered sleeping areas and exit ways in buildings where care or detention is provided, and
 - iii. Ultra and Atelier are certified for use in dry access routes only. They shall not be used in access routes likely to become wet in use.
 - c) installed on the following substrates:
 - i. Concrete floors (slab-on-grade or suspended)
 - ii. Timber flooring (structural or overlay)
 - iii. Concrete floors with Hydronic Underfloor Heating system
 - iv. Electric underfloor heating system
 - v. Wet-Area Membrane systems
 - vi. Acoustic underlay
2. The Forté Timber Overlay Flooring System shall be:
 - a) designed in accordance with the design guide applicable to the product (Timber Overlay Flooring System Design Guide EDITION 4.5 — OCTOBER 2024), and
 - b) installed in accordance with the Timber Overlay Flooring System Installation Guide Edition 2.0 November 2024, with special reference to the specific requirements for installation in wet areas and with underfloor heating, and
 - c) separated from fuel burning appliances, flues, and chimneys in accordance with NZBC Section CAS/1.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70143

Version: 2

Original issue date: 20 June 2023

Version date: 21 July 2025

Product Certificate

Forté Timber Overlay Flooring System



7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH & S Statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.

8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

B2 Durability - By analysis and comparison with Verification Method B2/VM1

C3 Fire affecting areas beyond the fire source - By testing and comparison with Verification Method C/VM2

D1 Access routes - By testing and comparison with Acceptable Solution D1/AS1

E3 Internal moisture - By analysis and comparison with Acceptable Solution E3/AS1

F2 Hazardous building materials - By testing and comparison with the performance requirements of the New Zealand Building Code clause F2.3.1

9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

1. Acceptable Solutions and Verification Methods for New Zealand Building Code Clause B2 Durability Second edition (Amendment 12), 28 November 2019.
2. C/VM2 Verification Method: Framework for Fire Safety Design For New Zealand Building Code Clauses C1-C6 Protection from Fire (Amendment 7), 2 November 2023.
3. Acceptable Solutions and Verification Methods for New Zealand Building Code Clause D1 Access Routes Second edition (Amendment 6), 1 January 2017.
4. Acceptable Solutions and Verification Methods for New Zealand Building Code Clause E3 Internal Moisture Second edition (Amendment 7), 5 November 2020.
5. Forté Alternative Solution Guidance for Timber Flooring (E3 Installations) Edition 3.0 July 2023.
6. Timber Testing Centre Test Report No. 20210128-121439, AS/NZS 2098.11 - Formaldehyde Emissions, 28 January 2021.
7. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Urban Berlin, French Oak Timber, 20x20cm, 21 July 2020.
8. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Moda Altro Verona, Brown, Timber Flooring, 4 March 2022.
9. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Moda Mezzo & Stretto Collection, Dark Brown, Timber Flooring, 14x20cm, 4 October 2022.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70143

Version: 2

Original issue date: 20 June 2023

Version date: 21 July 2025

Product Certificate

Forté Timber Overlay Flooring System



10. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Ariste Grande Collection, Light Brown, Timber Flooring, 09 - 05- 2025.
11. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004 Heritage Collection, Brown, Timber Flooring, 09 - 05- 2025.
12. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Loft Collection, Timber Board, Brown, 16x20cm, 14 May 2023.
13. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Smart Floor, Brown Timber, 11 September 2017.
14. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Ultra, Brown Timber, 11 Sep 2017.
15. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Indus Timber Flooring, Brown, Timber, 20x24cm, 18 August 2022.
16. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Villa F2, Light Brown, Timber Flooring, 4 March 2022.
17. ISTS Test Report Slip Resistance Classification of New Pedestrian Surface Materials, AS/NZS 4586:2004, Atelier Collection, Beige, Timber Board, 8 November 2023.
18. T.A.M.S.A. Report: Consult 739, Compliance of ETF samples to NZBC C/VM 2 Critical Radiant Flux, 8 July 2023.
19. T.A.M.S.A. Report: Consult 733 Artiste, Compliance of Ariste ETF samples to NZBC C/VM 2 Critical Radiant Flux, 4 May 2023.
20. T.A.M.S.A. Report: Consult 733-1, Compliance of ETF samples to NZBC C/VM 2 Critical Radiant Flux, 24 May 2023.
21. Timber Testing Centre Test Report No. 20231024-074933, AS/NZS 2098.11 - Formaldehyde Emissions, 24 October 2023.
22. Timber Overlay Flooring System Design Guide EDITION 4.5 — October 2024.
23. Timber Overlay Flooring System Installation Guide Edition 3.0 April 2023.

10. Supporting Information About Description (Optional)

Any supporting information for section 3.

N/A

11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

N/A

12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

N/A



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70143

Version: 2

Original issue date: 20 June 2023

Version date: 21 July 2025

Product Certificate

Forté Timber Overlay Flooring System



All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.