

## HERRINGBONE SPECIFICATION SHEET

Artiste Collection Engineered T&G Herringbone Plank by Forté. 19mm thick, 120mm wide, in 720mm plank lengths. Direct stick installation method onto substrate. Pre-finished with UV Cured Matte Lacquer







Da Vinci

Van Gogh



Vermeer

### PRODUCT DETAILS

**Collection** Artiste Grande

**Product Type** Engineered Herringbone Plank

Availability Custom Order

Total Thickness 19mm Width 120mm Length 720mm

Wear Layer 5mm Solid Smoked European Oak\*

(may vary depending on surface effects)

Core Birch Plywood

Construction 14mm Engineered Core + 5mm Solid

Smoked Oak wear layer\*

Re-sands 4-5 (approx. 1mm removed

per re-sand)

Surface Texture Deep Wood Grain

Surface Sheen Extra Matte

Bevel Micro bevel 4 sides

Status Pre-finished

(no additional coats required)

Finish UV Cured Lacquer
Species European Oak

Wood Grade Rustic

Filler Colour Dependant on colour, visit

forte.co.nz for accurate filler colour

The Artiste Grande Collection is also available in: 250mm planks and Chevron pattern.

\*Da Vinci, Van Gogh and Vermeer are Smoked European Oak. Picasso is European Oak (but has not been smoked).

#### PACK INFORMATION

Pack Size 1.44m<sup>2</sup>

Pieces per pack 20 Pieces (10x left, 10x right)

Pack Weight 9.66kg

### INSTALLATION

Installation Method Directly Stick / Glue Down (Double

Stick for Multi-level)

Suitable Substrates Plywood, Particle Board, Concrete,

existing timber - enquire for others

Joint Profile Tongue and Groove (4 sides)

Suitable Applications Flooring, Walls, Ceilings

Suitable Uses Residential homes, hospitality, retail stores, restaurants, apartments

Underfloor Heating Awaiting test results

Wet Area Suitability Contact the Forté team for information

0508 35 66 77

### TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors) Critical Flux 5.0kw/m<sup>2</sup>

Reaction to Fire (Walls Group 3 / Class Dfl-s1 (Group 1 can

and Ceilings) be achieved with intumescent coating)

Wear Layer Density 700kg/m<sup>3</sup>

Formaldehyde Emission

**AS/NZS 2098.11** E0 (0.12mg/L)

Low VOC, No added Formaldehyde

Slip Ratings

AS/NZS 4586 Wet Test Classification F, Mean COF 0.60
AS/NZS 4586 Dry Test Classification X, Pendulum Mean 43

**BPN** 

### STRUCTURAL WARRANTY

10 Year Commercial For terms and conditions see 25 Year Residential www.forte.co.nz/warranties

### SUSTAINABILITY


**Sustainably Sourced** 

# **Herringbone Profile**

ARTISTE GRANDE HERRINGBONE



Plank is tongue and groove on all four sides. Product supplied in right and left planks.



### ARTISTE GRANDE - RUSTIC GRADE



An Artiste Grande, rustic grade plank will typically contain natural colour variation. This grade allows for more frequent, larger knots and sapwood may be expected throughout the planks. Larger cracks and checks will be present and are finished with a dark shade of filler.

### SMOKED EUROPEAN OAK



Smoked or fumed timber has been treated to alter the colour depth and tonal variation of the wood. To find out more, visit <a href="forte.co.nz/advice/what-is-smoked-timber">forte.co.nz/advice/what-is-smoked-timber</a>

### **Care and Maintenance**

### RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

# **Structural Warranty**

ARTISTE GRANDE 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Artiste Grande Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

ARTISTE GRANDE 10 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Artiste Grande Collection comes with a full 10 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

## **Installation**

THE ARTISTE GRANDE COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Artiste Grande timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full Installation guidelines, please visit www.forte.co.nz/Installation